

## Requirements of Each JTA

Select a Job Training Assessment (JTA) from the drop-down list to see the training requirements for that JTA. Training requirements displayed will include the course number, course title, and requalification period.

PS-X17 – PS NSLS-II Beamline Support Staff

HP-OSH-150A	Basic Electrical Safety	No requal required
TQ-COMPGAS1	Compressed Gas Safety	Requal every 36 months
HP-OSH-025-24	Cryogen Safety w/24 Month Requal	Requal every 24 months
GE-CYBERSEC	Cyber Security	Requal every 12 months
TQ-GERT	General Employee Radiological Training	Requal every 24 months
PS-PROC-0263-REV3	LS2 BL Enc ODH Alarm Resp (PS-C-XFD-PRC-006)	Requal every 12 months
PS-PROC-0257-REV3	LS2 BL Enc ODH MonSysConfig (PS-C-XFD-PRC-035)	Requal every 24 months
PS-PROC-0277-REV2	LS2 BL Encl Srch/Sec BrkSec (PS-C-XFD-PRC-010)	Requal every 24 months
PS-PROC-0276-REV1	LS2 BLEquipProtSysTestProc (PS-C-XFD-PRC-019)	Requal every 24 months
PS-PROC-0102-REV7	LS2 Rad Safety Component Insp (PS-C-ESH-PRC-025)	Requal every 24 months
PS-PROC-0268-REV1	LS2 Use/Maint POMs BL Encs (PS-C-ESH-PRC-062)	Requal every 24 months
HP-IND-220	Laboratory Standard	Requal every 24 months

TQ-LADDER	Ladder Safety	Requal every 12 months
TQ-LEAD1	Lead in the Workplace	No requal required
HP-OSH-151A-W	Lockout/Tagout - Affected Employee	No requal required
PS-ESH-BNL-EQUIV	NSLS-II ESH BNL Equiv (Satisfied by GSO/CVO/GET)	No requal required
PS-ESH-FAC-BRIEF	NSLS-II Facilities-Specific ESH Brief	Requal every 24 months
TQ-ODH	Oxygen Deficiency Hazard - Class 0	Requal every 24 months
TQ-SAFEAWARE	Reducing Injuries and Accidents in the Workplace	No requal required
OM-MEDSURV-SMF	Static Magnetic Field Medical Surveillance	No requal required